

DOM ix Twintec

LEADING ROLES IN SECURITY

With its floating mounted dual role within the key the new reversible key system ix Twintec provides a high protection against unauthorised key copying.



TECHNICAL FEATURES

Adjustable Cam	Yes
Anti Bump Protection	Yes
Anti Drill Core Protection	Yes
Anti Drill Protection Housing	Yes
Anti Pick Protection	Yes
Anti Pull Protection	Yes
Anti Snap Protection	Yes
Cylinder Mechanism	Pin
Fire Resistant	Yes
Key Patent Protection	Yes
Key Patent Until (year)	2036
Key Type	Reversible Key Systems
Maximum Number of Lateral Elements	10
Maximum Number of Upper Elements	9
MKS Possibilities	Master Key, Single Coded
Number of Active Locking Elements	10
Number of Ant Bumping Elements	8
Number of Anti Picking Elements	8
Number of Moveable Elements	2
Number of Passive Elements	10
System Patent Protection	Yes
System Patented Until (year)	2036
Total Number of Locking Elements	20
Trademark Protection	Yes


CONFIGURATIONS

2 in 1 Function	Optional
Available as a Service Cylinder	No

DOM ix Twintec

CONFIGURATIONS (CONTINUED)

Construction Key Function	Optional
Modular	Yes
Optional Cams	Swiss Cam
Sea Water Protection	Optional
Number of Keys	5



APPLICATIONS OF USE

Financial, Homes, Industrial, Medium to Large Sized Businesses, Offices, Plants, Public Buildings, Small to Medium Sized Businesses

CERTIFICATIONS

EN 1303:2015	160B0C6D
--------------	----------

FEATURES & BENEFITS

Registration Card	Yes
Standard Housing Material	Brass
Key Material	New Silver
Standard Finish	Matt Nickel
Optional Finishes	Bright Brass, Bright Chrome, Bright Nickel, Matt Chrome, Dark Bronze, Gold

DOM ix Twintec

FINISHES



001 Matt Nickel



004 Polished Chrome



006 Polished Brass



009 Antique Bronze



025 Gold Plated



029 Bright Bronze



003 Matt Chrome



005 Matt Brass



007 Dark Bronze



017 Black



027 Matt Black

KNOBS



K1



K4



K6



K3



K5

